



7

## Petrol vacuum shredders, electric vacuum shredders and accessories

-  For home and professional users
-  For removing and shredding leaves and cuttings
-  Can also be used as a blower

### SH 56 C-E



**27.2 cm<sup>3</sup>, 5.2 kg<sup>Ⓞ</sup>.** Comes with blower attachment as standard. Infinitely variable speed control, round nozzle, 2-MIX engine.

**Order No. 4241 011 0924**

### SHE 81



**240 V, 1.4 kW, 4.5 kg<sup>Ⓞ</sup>.** For large areas and around the home. Infinitely variable speed control, flat nozzle, blower function.

**Order No. 4811 011 0838**

### SH 86 C-E



**27.2 cm<sup>3</sup>, 5.6 kg<sup>Ⓞ</sup>.** Ideal for cleaning large areas. Comes with blower attachment as standard. Infinitely variable speed control, round nozzle, flat nozzle, STIHL ElastoStart, STIHL anti-vibration system, 2-MIX engine, HD2 filter.

**Order No. 4241 011 0912**

For suitable fuels and lubricants, see page 188 onwards.

### Dust-reducing collection bag



45 l. For particularly dusty jobs. For SH 56 and SH 86.

Order No. 4229 708 9701

### Curved flat nozzle



For SH 56, SH 86 and SHE 81.

Order No. 4241 708 6302

### Gutter cleaning set



For clearing dirt and leaves. Approx. 3 m long blower tube, for SH 56, SH 86 and SHE 81.

Order No. 4241 007 1003

Order number	Displacement (cm³)	Rated voltage (V)	Power consumption (kW)	Weight (kg), including accessories	Sound pressure level <sup>ⓐ</sup> (dB(A))	Sound power level <sup>ⓐ</sup> (dB(A))	Vibration level, left/right <sup>ⓐ</sup> (m/s²)	STIHL engine (2-MIX/4-MIX <sup>ⓑ</sup> )	Air throughput (m³/h) in vacuum mode	Collection bag volume (l)	STIHL anti-vibration system	STIHL ElastoStart	STIHL Easy2Start (E)	Round nozzle/flat nozzle	Infinitely variable speed control	Blower function <sup>ⓐ</sup>	Manual fuel pump
<b>Petrol vacuum shredders</b>																	
<b>SH 56 C-E</b>	<b>4241 011 0924</b>	27.2	–	–	5.2 <sup>ⓐ</sup>	94	105	8.5/7.5	2-MIX	710	45	–	–	●	●/○	●	●
<b>SH 86 C-E</b>	<b>4241 011 0912</b>	27.2	–	–	5.6 <sup>ⓐ</sup>	93	106	2.5/1.9	2-MIX	770	45	●	●	–	●/●	●	●
<b>Electric vacuum shredders</b>																	
<b>SHE 81</b>	<b>4811 011 0838</b>	–	240	1.4	4.5 <sup>ⓐ</sup>	88	103	5.6/2.6	–	650	45	–	–	–	–/●	●	●

● As standard  
○ Retrofittable (accessory)


E = Easy2Start

ⓐ K factor according to Dir. 2006/42/EC = 2.5 dB(A)

ⓑ K factor according to Dir. 2006/42/EC = 2 m/s²

ⓐ Vacuum shredder can also be used as a blower





### Technology

- 1 Sealing and air filter**  
All-around sealing and two foam filters keep even the finest particles from escaping.
- 2 STIHL MultiClean sweeping system**  
This system ensures the sweeping machine can handle all kinds of dirt. Even cans, plastic bottles, heavy and wet debris are no problem. The STIHL MultiClean PLUS with additional power sweep takes care of very fine dust. Debris is brushed up in front of the machine before it can get caught under the tool.
- 3 Long-lasting materials**  
The bristles made of low-wear nylon come with a four-year STIHL durability warranty.

**i** Please note that not all products are equipped with the features listed here. Only the most important features are described on this page. For further explanations and information, see page 240 onwards or online at [www.stihl.com.au](http://www.stihl.com.au).

### Comfort

- 4 Practical waste container**  
The impressively tall and spacious container holds a large amount of debris, but takes up very little space. The tool can be stored upright on the container to save space, without any of the contents falling out.
- 5 Central height adjustment and bristle hold-down clamp**  
Thanks to the central height adjustment, these sweeping machines can handle virtually any surface. The laterally projecting brushes and bristle hold-down clamp ensure that even areas directly along walls or curbs are a snap to clean.
- 6 Long-life transmission and ergonomic, height-adjustable push bar**  
Its low weight, long-running gear mechanism with superb power transmission as well as an ergonomically designed push bar make this sweeping machine easy to push.



## Sweeping machines, battery sweeping machine and accessories

-  For home and professional users
-  For cleaning paths, car parks and driveways
-  Sweeps coarse, fine, heavy and wet debris
-  With the efficient STIHL MultiClean and MultiClean Plus sweeping systems

### KG 550



**Container capacity 25 l, sweep width 55 cm, 6.0 kg.**

For sweeping around the house. STIHL MultiClean sweeping system, 8-level central height adjustment, lateral wheels, suitable for outside, four-year durability warranty on the low-wear nylon bristles.

**Order No. 4860 019 4704**

### KG 770



**Container capacity 50 l, sweep width 77 cm, 13.0 kg.**

For low-dust sweeping of large areas both indoors and outdoors. STIHL MultiClean PLUS sweeping system, 8-level central height adjustment, low-dust sweeping process, bristle hold-down clamp, ergonomically shaped 2-fold height adjustment push bar, lateral wheels, transport handle, can be stored upright to save space, four-year durability warranty on the low-wear nylon bristles.

**Order No. 4860 019 4706**

## KGA 770



Battery sweeping machine for large areas both indoors and outdoors. STIHL MultiClean PLUS sweeping system, 8-fold central height adjustment, lateral guide roller, transport handle, stores upright to save space, ergonomically shaped 2-fold height-adjustable push bar. Easy and effortless to push due to the battery operation of the circular brushes and power sweep. This enables thorough cleaning of edges and corners, even when the machine is stationary. The low-wear nylon bristles come with a four-year STIHL durability warranty. Container capacity of 50 l, sweep width of 77 cm. Weight: 16.0 kg<sup>①</sup>.

KGA 770 excluding battery and charger  
**Order No. 4860 011 4703**

For suitable lithium-ion batteries and other accessories, see page 8 onwards.

		Order number	Container capacity (l)	Sweep width (cm)	Rated voltage (V)	Weight (kg)	Sound pressure level <sup>②</sup> (dB(A))	Sound power level <sup>②</sup> (dB(A))	For areas up to ... (m <sup>2</sup> )	Sweeping concept	Central height adjustment	Protective cover for the long-life transmission	All-around sealing	Bristle hold-down clamp	Ergonomically designed push bar	Battery operation (for circular brushes)	Indoor areas: Interlocking paving stones / sealed floors	Outside area: Asphalt / exposed aggregate concrete / interlocking paving stones / cobblestones
<b>Sweeping machines</b>																		
<b>KG 550</b>	<b>4860 019 4704</b>	25	55	–	6.0	–	–	300	MultiClean	●	–	–	–	–	–/–	–/–	●/●/●/●	
<b>KG 770</b>	<b>4860 019 4706</b>	50	77	–	13.0	–	–	1,500	MultiClean PLUS	●	●	●	●	●	–/–	●/●	●/●/●/●	
<b>Battery sweeping machine</b>																		
<b>KGA 770</b>	<b>4860 011 4703</b>	50	77	36	16.0 <sup>①</sup>	64	80	2,000	MultiClean PLUS	●	●	●	●	●	●/●	●/●	●/●/●/●	

② K factor according to Dir. 2006/42/EC = 2.5 dB(A)



**1 Energy-saving operation**

**3 Increased service life**

**2 Reduced wear and tear**

## Technology

- 1 Adjustable pressure/flow control on the machine**  
For direct regulation of the water flow and the working pressure on the pump. Compared to regulation at the trigger (only recommended for temporary pressure regulation), this consumes significantly less power and protects the overall system.
- 2 Low-speed engine and robust brass pump head with ceramic pistons**  
Due to a greater pump displacement, the low-speed engine runs at a lower rpm. This increases the service life of the engine and pump and makes the tool run more quietly. The ceramic pistons reduce wear and tear to a minimum, thereby increasing the life of the pump.

- 3 Automatic switch-off function and delayed engine shut-down**  
In all high-pressure cleaners, the motor automatically switches off as soon as the trigger is released. The cleaner is then in standby mode. If the model also features the delayed engine shut-down, the engine will continue running for 20 seconds after the trigger has been released before going into standby mode. This reduces the frequency with which the tool is switched on and off, which increases the system's service life.

**i** Please note that not all products are equipped with the features listed here. Only the most important features are described on this page. For further explanations and information, see page 240 onwards or online at [www.stihl.com.au](http://www.stihl.com.au).



## Compact high-pressure cleaners

- For cleaning jobs around the home and garden and for private car cleaning®
- For cleaning garden furniture, stairways, walkways and terraces.
- Versatile and handy
- Easy to transport and store

### RE 88



**10–100 bar, 520 l/h, 8.9 kg.**

Light and handy entry-level cleaner for occasional use. Rotary and fan jet nozzle, 6 m high-pressure mesh hose, accessories holder on casing, detergent spray set.

**Order No. 4787 012 4504**

### RE 119



**10–125 bar, 500 l/h, 19.2 kg.** Compact cleaner with additional quality features. Additional aluminium transport handle, larger wheel diameter, 8 m steel-reinforced hose, especially comfortable sprayer holder, aluminium telescopic handle, fold-out front cover with nozzle storage, quick-release coupling on the high-pressure outlet.

**Order No. 4777 012 4503**

### RE 109



**10–110 bar, 440 l/h, 17.7 kg.** Compact cleaner for comfortable operation. Aluminium telescopic handle, fold-out front cover with integrated nozzle storage, rotatable power cable holder, quick-release coupling on the high-pressure outlet, 7 m textile mesh high-pressure hose.

**Order No. 4776 012 4504**

### RE 129 PLUS



**10–135 bar, 500 l/h, 20.0 kg.** The cleaner with excellent cleaning performance and maximum comfort. High-pressure hose reel with additional wind-up assistance, 9 m steel-reinforced hose, holders for additional accessories such as rotating wash brush and flat textile hose.

**Order No. 4778 012 4503**

Accessories relating to this range can be found from page 150 onwards.



## Mid-range high-pressure cleaner

- For commercial use and tough domestic cleaning
- For a variety of uses such as in garages and workshops
- Operating pressure of up to 150 bar for removing even the toughest dirt and grime

### RE 163 PLUS



**10–150 bar, 650 l/h, 27.6 kg.** The robust high-end cleaner in the mid-range with PLUS-level comfort. Hose reel with 12 m steel-reinforced high-pressure hose, flat textile hose with holder, brass pump head, low-wear, ceramic-coated pistons, pressure/flow control, pressure gauge, detergent tank and metering.

**Order No. 4769 012 4504**



7

# Accessories for high-pressure cleaners RE 88 – RE 163 PLUS

-  For extending the range of possible applications
-  Versatile solutions to make your work easier
-  Accessories for special cleaning applications

### Wash brushes



#### Large area wash brush

280 mm wide. For cleaning delicate surfaces. Integrated rubber lip, high-pressure nozzle, for RE 88 – RE 129 PLUS.

**Order No. 4900 500 6000**



#### Cleaning set

For cleaning hard-to-reach areas. Includes fan jet nozzle, large area wash brush and angled nozzle (90°), for RE 88 – RE 129 PLUS.

**Order No. 4900 500 6100**



#### Rotating wash brush

160 mm diameter. Rotating inner brush, adjustable working angle, for RE 88 – RE 129 PLUS<sup>Ⓞ</sup>.

**Order No. 4900 500 5900**

### Spray lance extension



410 mm long. For RE 88 – RE 129 PLUS for models built since 2007.

**Order No. 4900 500 0303**

### Surface cleaner



#### RA 82

For quick and splash-free cleaning of large horizontal surfaces, for RE 88 – RE 129 PLUS.

**Order No. 4900 500 3903**



#### RA 101

For quick and splash-free cleaning of large horizontal and vertical surfaces. Including spray lance extension, for RE 88 – RE 129 PLUS.

**Order No. 4900 500 3902**

### Spray lances



#### Angled

470 mm with nozzle. For cleaning hard-to-reach areas. Reduced pressure for delicate surfaces, for RE 88 – RE 129 PLUS<sup>Ⓞ</sup>.

**Order No. 4900 500 1902**



#### Long, angled

1,080 mm with nozzle. For cleaning hard-to-reach areas. for RE 88 – RE 129 PLUS.

**Order No. 4900 500 1903**

<sup>Ⓞ</sup> Recommended for RE 88, RE 109, RE 119 and RE 129 PLUS:  
Use in combination with the spray lance extension (Order No. 4900 500 0303)

### Flat textile hose with holder



12 m long. Low-pressure hose including holder, can be easily rolled and unrolled. For space-saving storage directly on the tool, for RE 109–RE 163 PLUS®.

**Order No. 4900 500 8600**

### Foam nozzle



Powerful cleaning effect due to foam that adheres to the surface for a long time. Spray jet that can be adjusted vertically or horizontally, adjustable spray angle, dosage button for cleaning agent concentration, 1-litre bottle with large filler opening.

For RE 88–RE 129 PLUS  
**Order No. 4915 500 9600**

For RE 163 PLUS  
**Order No. 4925 500 9600**

### Suction set



3 m long. For low-pressure water supply from rain water tanks and cisterns. It is recommended that a water filter is fitted, for RE 88 – RE 163 PLUS.

**Order No. 4900 500 0500**

### High-pressure hose extensions®



For more range. With quick-release coupling.

7 m, steel-reinforced for for RE 108 – RE 128 PLUS  
**Order No. 4900 500 8211**

10 m, steel-reinforced for for RE 108 – RE 128 PLUS  
**Order No. 4900 500 8212**

### Pipe cleaning set



15 m long. Also suitable for smaller diameter pipes. With nozzle, for RE 88 – RE 129 PLUS.

**Order No. 4900 500 8000**

### Wet sandblasting device



For cleaning brickwork and metal parts. Best results with the STIHL blasting granulate SB 90, for RE 88 – RE 129 PLUS.

**Order No. 4900 500 1801**

### Spray lances



**NEW**

Straight, without nozzle®. With quick-release coupling. For RE 163 PLUS.

Length 1,070 mm  
**Order No. 4925 500 0962**

Length 1,800 mm  
**Order No. 4925 500 0963**

Length 2,500 mm  
**Order No. 4925 500 0964**

### Spray lance with rotary nozzle



**NEW**

Straight version. For attacking particularly stubborn dirt, rapidly rotating pencil jet for large areas, quick-release coupling. For RE 163 PLUS.

**Order No. 4925 500 8304**

### High-pressure hose coupling



**NEW**

For connecting high-pressure hoses. For RE 163 PLUS.

M24 x 1.5  
**Order No. 4925 503 0800**

### Water filter

Protects the pump against dirt from the water supply.  $\frac{3}{4}$ " attachment.



**Standard filter**  
For RE 88 – RE 163 PLUS.  
**Order No. 4900 500 5402**



**Professional filter**  
For RE 163 PLUS.  
**Order No. 4900 500 5401**

® Recommendation for RE 109 and RE 119: When used in combination with the hose attachment (Order No. 4900 501 2001) the flat hose with holder can be stored directly on the cleaner. Max. water supply temperature = 20°C

® High-pressure hose extension cannot be rolled up on a hose reel  
® Use of a nozzle protector is recommended



## Cleaning agents and maintenance products for high-pressure cleaners

- Designed specifically for use with STIHL high-pressure cleaners
- The right cleaning agent for every job
- Blasting granulate for the toughest dirt and grime

### Auto & Outdoor Cleaner / Degreaser



For heavy duty cleaning of wheels, heavy equipment, engines, parts & tools, floors, driveways and more.

Spray bottle, 750 ml ready to use

**Order No. 7004 871 0446**

4 l concentrate

**Order No. 7004 871 0449**

### Auto Wash & Wax



Foam premium vehicle wash for cars, bikes, trucks and boats. Quickly removes soils, road grime and bugs.

1 l

**Order No. 7004 871 0447**

4 l

**Order No. 7004 871 0448**

Order number

Operating pressure (bar)

Max. pressure (bar)⓪

Min. water throughput (l/h)

#### High-pressure cleaners, compact range<sup>④</sup>

<b>RE 88</b>	<b>4787 012 4504</b>	10–100	120	350	
<b>RE 109</b>	<b>4776 012 4504</b>	10–110	120	380	
<b>RE 119</b>	<b>4777 012 4503</b>	10–125	140	400	
<b>RE 129 PLUS</b>	<b>4778 012 4503</b>	10–135	150	420	

#### High-pressure cleaners, mid range<sup>④</sup>

<b>RE 163 PLUS</b>	<b>4769 012 4504</b>	10–120	160	570	
--------------------	----------------------	--------	-----	-----	--

● As standard  
○ Retrofittable (accessory)

① Max. permissible system pressure  
② K factor according to Dir. 2006/42/EC = 1.5 dB(A)

## Hand Wash Gel



Waterless gel, perfect for use in workshops, garages and at home.

Heavy duty hand cleaner,  
500 gm

**Order No. 7004 871 0445**

Max. water throughput (l/h)	Max. water supply temperature (°C)	Weight, ready for operation (kg)	Power consumption (kW)	Sound pressure level <sup>③</sup> (dB(A))	Vibration level <sup>③</sup> (m/s <sup>2</sup> )	Power cable length (m)	Mains voltage (V/phases/Hz)	Engine speed (RPM)	Transparent detergent tank (l)	High-pressure hose (length in m), steel-reinforced	Aluminium pump head / brass pump head, ceramic pistons	Pressure / flow control on the tool / trigger	Pressure gauge	Aluminium telescopic handle	Aluminium transport handle	Fold-out front cover with nozzle storage	Detergent measuring system	Bracket for flat textile hose	Flat textile hose with holder	Quick-release coupling on the high-pressure outlet	Integrated high-pressure outlet	Anti-twist coupling on the lance	Rotary nozzle / 2nd spray lance with rotary nozzle			
520	40	8.9	1.7	78.0	90.5	< 2.5	5	240/1~/50	18,000	-	6 <sup>⑦</sup>	●/-/-	-/-	-	-	-	-	-	-	-	-	●	●/-			
440	40	17.7	1.7	68.3	81.1	< 2.5	5	240/1~/50	2,800	-	7 <sup>⑦</sup>	●/-/-	-/-	-	●	-	●	-	○	○	●	-	●	●/-		
500	60	19.2	2.1	67.0	79.8	< 2.5	5	240/1~/50	2,800	-	8	●/-/-	-/-	-	●	●	●	-	○	○	●	-	●	●/-		
500	60	20.0	2.3	70.7	83.5	< 2.5	5	240/1~/50	2,800	-	9	●/-/-	-/-	-	●	●	●	-	●	○	-	●	●	●/-		
650	60 <sup>③</sup>	27.6	3.3 <sup>④</sup>	79.7	92.8	< 2.5	5	240/1~/50	2,800	2	12	-/●/●	●/-	●	●	●	●	●	●	●	●	-	-	●	●	-/-

③ K-factor according to Dir. 2006/42/EC = 2 m/s<sup>2</sup> with fan jet nozzle

④ Please comply with local waste water regulations when using STIHL high-pressure cleaners

⑤ With flat textile hose attached max. water intake temperature = 20°C

⑥ The electrical installation on site must have the necessary power capacity

⑦ Textile mesh



### Technology

- 1 Delayed shutdown**

Due to the automatic switch-on function, the vacuum continues to run for a short time after shutdown, so that residual dirt is vacuumed up and the hose is completely emptied.
- 2 Multiple filter system**

Thanks to the multiple filter system, both coarse and fine dust is filtered effectively. The filter element is washable, hygienic, economical and eco-friendly.

**i** Please note that not all products are equipped with the features listed here. Only the most important features are described on this page. For further explanations and information, see page 240 onwards or online at [www.stihl.com.au](http://www.stihl.com.au).

### Comfort

- 3 Integrated accessories box**

With vacuum hose and power cable holder. For easy storage of accessories on the machine.
- 4 Filter cleaning**

Optimum performance at all times through simple and quick cleaning of the filter element.
- 5 Speed control**

For progressive adjustment of suction capacity on the machine.



## Wet and dry vacuum cleaners

- For cleaning companies, industrial use and professional applications in workshops
- All-purpose, for wet and dry dirt
- Comprehensive range of high-quality accessories

### SE 62



**1.4 kW, 210 mbar, 3,600 l/min.** For getting rid of dust, dirt and liquids indoors and outdoors. Wet and dry vacuuming options, blower function by moving the suction tube to the exhaust port, multiple filter system, filter cleaning, switchable floor nozzle, universal nozzle, crevice nozzle.

**Order No. 4784 012 4405**

Accessories relating to this range can be found from page 156 onwards.

E = Automatic switch-on function/power outlet

For retail pricing visit [www.stihl.com.au](http://www.stihl.com.au)

### SE 122



**1.5 kW, 250 mbar, 3,700 l/min.** With multiple filter system, integrated accessories box and suction tube holder. Wet and dry vacuuming options, filter cleaning, filter element/bag, castors with locking brakes, stainless steel handle with quick-release coupling.

**Order No. 4774 012 4401**



## Accessories for wet and dry vacuum cleaners

- For a whole range of different applications
- Nozzles for different applications
- Extension tubes and adapters
- Vacuum hoses

### Filter bags



5-piece pack. Strong, ear-resistant material.

For SE 62

**Order No. 4901 500 9004**

With dust seal for SE 122

**Order No. 4901 500 9007**

### Car set



For cleaning different surfaces inside cars. Crevice nozzle (300 mm), dusting brush, brush nozzle and rubber nozzle, for SE 62–SE 122.

**Order No. 4901 500 9500**

### Nozzles for cleaning floors

(attachment diameter 36 mm)



#### Combi suction nozzle

280 mm wide. With foot-operated switch for smooth surfaces and carpets, for SE 61–SE 122.

**Order No. 4901 500 2503**

### Nozzles for cleaning floors

(attachment diameter 36 mm)



#### Universal floor nozzle

400 mm wide. For wet and dry vacuuming. Height-adjustable, for SE 62–SE 122.

**Order No. 4901 500 2705**

### Filter elements



For upgrade or replacement.

Strong paper for SE 62–SE 122

**Order No. 4709 703 5900**

Durable, washable PET liner, ideal for wet vacuum operation for SE 62–SE 122

**Order No. 4742 703 5900**

### Wet vacuuming set



For cleaning up liquids. Wet vacuum floor nozzle, angled rubber nozzle, stainless steel filter element, for SE 62–SE 122.

**Order No. 4901 500 9400**



#### Aluminium floor nozzle

330 mm wide. For dry vacuuming. Removable brush insert, for SE 62–SE 122.

**Order No. 4901 500 2700**



#### Large area floor nozzle

450 mm wide. For large areas. Aluminium, adjust-able height, with replaceable insert.

With brush insert for SE 62–SE 122

**Order No. 4901 500 2710**

With rubber lip element for wet vacuuming for SE 62–SE 122

**Order No. 4901 500 2711**



For regular or prolonged periods of wet vacuum operation. Stainless steel, for SE 62–SE 122.

**Order No. 4901 501 0900**

### Heavy duty wet filters (not pictured)

For SE 61–SE 62

**Order No. 7004 871 0101**

For SE 122

**Order No. 7004 871 4724**

### Coarse dirt set



For cleaning up coarse dirt and debris. Coarse dirt nozzle, extension tubes (2 x 500 mm), connectors (2 x), vacuum hose 1.75 m long, 50 mm diameter, for SE 122.

**Order No. 4901 500 9300**

### Wet vacuum nozzle

300 mm wide. For wet vacuuming, for SE 62–SE 122.

**Order No. 4901 500 7200**

### Loading cloth (not pictured)

Replaces the filter bags to allow bagless vacuuming. Ideal for fine dust and long working periods.

For SE 122

**Order No. 4774 703 5900**

## Suction nozzles (attachment 36 mm diameter)



**Universal suction nozzle**  
115 mm wide. Plastic, with lint brush e.g. for car seats, for SE 62–SE 122.

**Order No. 4901 502 2300**



**Angled rubber nozzle**  
185 mm long. For vacuuming delicate surfaces, for SE 62–SE 122.

**Order No. 4901 502 2400**



**Universal suction nozzle**  
For SE 62–SE 122

**Order No. 4901 502 2310**



**Crevice nozzle**  
300 mm long. For cleaning hard-to-reach areas. Plastic, for SE 62–SE 122.

**Order No. 4901 502 2200**



**Coarse dirt nozzle<sup>①</sup>**  
For SE 62–SE 122

**Order No. 4901 502 2705**



**Crevice nozzle**  
920 mm long. For cleaning boilers or ovens. Metal, for SE 62–SE 122.

**Order No. 4901 502 2201**

## Brush nozzles (attachment 36 mm diameter)



**Dusting brush**  
70 mm wide. E.g. for computer keyboards. Can be rotated, with nylon bristles, for SE 62–SE 122.

**Order No. 4901 502 2900**



**Brush nozzle**  
230 mm long. For cleaning delicate objects, e.g. upholstered furniture, for SE 62–SE 122.

**Order No. 4901 502 2600**



**Radiator suction nozzle**  
For cleaning radiators and blinds. Crevice nozzle with special brush insert, for SE 62–SE 122.

**Order No. 4901 500 2600**

## Extension tubes



Attachment 36 mm diameter.

1 piece 500 mm in length  
Stainless steel for SE 62–SE 122

**Order No. 4901 503 1601**

2 pieces 500 mm in length  
Aluminium  
for SE 62–SE 122

**Order No. 4901 503 1610**

## Handles



Vac hose handle for SE 62

**Order No. 4901 502 3015**



Handle with connector for SE 122

**Order No. 4901 500 4702**

	Order number	Max. power consumption $P_{max}$ (kW)	Max. vacuum (mbar)	Volume flow (l/min)	Weight, ready for operation (kg)	Sound pressure level <sup>②</sup> (dB(A))	Mains voltage (V/phases/Hz)	Container volume (l)	Suction hose length (m)	Hose diameter (mm)
<b>Wet and dry vacuum cleaners</b>										
SE 62	4784 012 4400	1.4	210	3,600	7.5	70.9	240/1~/50	20	2.5	32
SE 122	4774 012 4400	1.5	250	3,700	12.1	65.1	240/1~/50	30	3.0	36

● As standard    ② K factor according to Dir. 2006/42/EC = 2.0 dB(A)

### Vacuum hoses



Ø 32 mm x 35 m  
for SE 62

**Order No. 4901 501 0815**

Ø 32 mm x 20 m  
for SE 122

**Order No. 4901 501 0800**



With adapter for power tools. Ø 27 mm x 3.5 m, for SE 62

**Order No. 4901 500 0520**



Ø 36 mm x 3.0 m  
for SE 62 - SE 122

**Order No. 4901 500 0504**

### Connector



Ø 50/50 mm

**Order No. 4901 503 1200**

### Hose / wand connector



Ø 50/27 mm

**Order No. 4901 503 1501**

Ø 50/32 mm

**Order No. 4901 503 1505**

Ø 50/36 mm

**Order No. 4901 503 1500**

Ø 50/50 mm

**Order No. 4901 503 1504**

### Adapter for power tools

For directly connecting electric power tools with vacuum capability to the vacuum hose.



Diameter 32 mm. Suction power control, for SE 62.

**Order No. 4901 503 1508**



### STIHL professional tip:

If you want to get rid of the waste when and where it is generated, it is best to use our adapters for electric power tools. This allows you to connect the vacuum hose of your wet and dry vacuum cleaner directly to tools such as the jigsaw, sander, or planer, provided they offer a vacuum connection.

Wet/dry vacuuming options	Automatic switch-on function / power outlet (E)	Multiple filter system	Filter cleaning	Paper / liner filter element	Liner filter bag	Handle with quick-release coupling	Aluminum / stainless steel vacuum attachment	Switchable floor nozzle	Universal nozzle, crevice nozzle	Adapter for power tools
•	-	•	•	•/-	•	•	•/-	•	•	-
•	-	•	•	-/•	•	•	-/•	•	•	-