



WALK POWER MOWERS

RECYCLER® / SUPER RECYCLER® / HEAVY-DUTY COMMERCIAL / TIMEMASTER™
TURFMASTER™ HDX / RECYCLER® SMARTSTOW® / RECYCLER® POWEREVERSE™



TORO

EXPERTS IN TURF CARE

Join the ranks of satisfied customers around the globe – make Toro the preferred name at your home.

On golf courses, parks, municipalities, sports fields and individual lawns around the world, our commitment to providing innovative, high quality products and systems to maintain turf has become legendary.

From cricket pitches in Australia's largest ovals to professional football stadiums around the world, to St. Andrews, Royal Randwick and Wimbledon, Toro mowers are used to maintain some of the most prestigious grassed areas in the world. This passion and experience also led us to develop high quality equipment for home use, with products that make tending your garden as simple and effortless as possible – so you can spend more of your time enjoying its beauty.



The Old Course, St Andrews, Scotland

**TRUSTED BY PROFESSIONALS AND
HOMEOWNERS AROUND THE GLOBE**



INNOVATION

With well over 1500 patents related to turf maintenance, innovation is at the heart of Toro's success. Continued investment in R&D and new technologies make Toro the preferred choice for all.



CUSTOMER CARE

Our global network of dealers is here to provide the best support to keep your equipment in peak condition. Visit toro.com.au to locate your nearest Toro dealer.



LEGACY OF EXCELLENCE

Since 1919, The Toro Company has built, tested and led innovative solutions to care for your turf. Today, Toro continues to lead by focusing on creating high performance, environmentally friendly solutions to help our customers around the world preserve the beauty, productivity and sustainability of the land.

 Learn more at
Toro.com.au

MOW LIKE A PRO

Toro's walk power mowers are packed with features to make your lawn more beautiful and mowing it more enjoyable. From powerful engines to the Personal Pace® drive system that automatically adjusts to your walking speed, you'll find everything you need right here.

Engineered to cut better

We've been in the turf business for more than a century and we've never stopped looking for new ways to deliver the highest quality cut and the most reliable machines you can buy. When you choose Toro, you know you're getting a mower that's built to last.

WHICH ONE IS RIGHT FOR YOU?



Super Recycler® 19 inch ▲
The Ultimate Recycling and Bagging Mower.

BEST FOR:
Recycling, bagging or rear discharge. It is fully featured with single point height of cut.



Recycler® 22 inch ▲
Our Best-Selling Mower.

BEST FOR:
Recycling, side discharge, and has bagging capability.



Recycler® 22 inch SmartStow® ▲
Easy to store, easy to maintain.

BEST FOR:
Recycling, side discharge, and bagging capability - with the added benefit of significant space-saving when stored.



Recycler® 22 inch All-Wheel Drive ▲
For Added Traction in Tough Mowing Conditions.

BEST FOR:
Mowing hills and other tough mowing conditions.



Recycler® 22 inch PowerReverse™ ▲
Powerful performance in difficult conditions.

BEST FOR:
Uneven terrain - power to front wheels provides a reverse assist for easy manoeuvring.



TimeMaster™ 30 inch ▲
For Big Yards and Busy Schedules.

BEST FOR:
Homeowners with big yards and busy schedules. 30 inch mowing deck, lightweight and sleek, it cuts more grass in far less time.



TurfMaster™ HDX 30 inch ▲
Ideal for Commercial Use.

BEST FOR:
Heavy-use in the toughest conditions. The wide 30 inch mowing deck covers more ground in less time.



Heavy-Duty Commercial 21 inch ▲
Ideal for Commercial Use.

BEST FOR:
Demanding yard conditions. The die-cast deck withstands the rigours of commercial mowing.

TECHNOLOGY & KEY FEATURES

3 SPEED SETTINGS

For optimum speed and best collector or recycling performance.

SPIN-STOP™ SYSTEM

Stops the cutterblade but enables the engine to continue running while emptying the grass bag or travelling over non-grassed areas, preventing re-starts and saving you time.


BLADE BRAKE CONTROL

Stops the engine and cutterblade completely when the safety lever is released.



ELECTRIC START

Gives effortless engine starting on the turn of a key.



RECYCLE-ON-DEMAND (ROD)

Allows you to switch between Recycler® and rear collection mode with an easy-to-use lever.

EASILY COLLECT GRASS AND LEAVES

By simply raising the mower to the highest setting above your grass to shred and collect.

OHV/OHC ENGINES

Are lighter and quieter with reduced emissions. The full engine lubrication system reduces wear for a longer lasting engine.

WHEEL BEARINGS

Offer durability and ensure smooth mower operation.



Shown on the TimeMaster™ 76.2 cm Dual Blade mower.

Not all features shown are available on all products. See specific product pages for more details.

TRACTION-ASSIST HANDLE

Makes navigating hilly terrain easy.



HEIGHT ADJUSTABLE HANDLEBAR

Easily adjusts to different heights to suit the operator.



QUICK STORAGE HANDLEBAR

Stows the handlebar in the upright lock position. The grass bag can be stored on the handlebar, saving space and allowing the grass bag to dry effectively.



EASY FOLDING HANDLEBARS

Allow for easy transport and compact storage.

PERSONAL PACE® SYSTEM

Senses and smoothly adjusts to your walking speed, even on slopes.

HEIGHT OF CUT

Can be adjusted with 1, 2 or 4 individual levers to cut your grass to the desired height.

WASHOUT PORT

Easily cleans grass clippings from under the deck by simply connecting a hose. This prevents grass build up and provides better performance.

THE RECYCLER® ADVANTAGE

WHY RECYCLING:

1. BENEFICIAL TO YOUR TURF

With Toro's recycler technology nutrient-rich clippings are returned to the soil where they quickly decompose and feed the roots for a healthy, lush garden.

2. ENVIRONMENTALLY FRIENDLY

Without the need to remove clippings there is no need for disposal bags, and you help the environment through eliminating transportation costs and landfill use.

3. TIME SAVING

Spend less time emptying grass bags with Toro's recycling technology. Because the finely chopped clippings are returned to the soil, there are no bags to empty. Simply adjust to recycler mode to make quick work of mowing any garden.




HOW DOES RECYCLING WORK?*



1. BLADE TECHNOLOGY

Grass is cut and lifted up by Toro's high-lift blades. These blades create a powerful updraft that lifts the grass for a clean, even cut. The blade also keeps the clippings airborne to ensure they are thoroughly processed.



2. CUTTING CHAMBER

The unique shape of the cutting chamber is optimised for each product to ensure the best recycling performance. Tests are performed for each product, to optimise grass clipping circulation and recycling.



3. KICKERS

Strategically placed kickers in the cutting chamber divert the clippings back into the blade for additional cutting. The grass clippings are small enough to be useful to your lawn as nutrients.



4. ACCELERATOR

After clippings have been thoroughly processed, accelerators create an outward force to push clippings down to the turf. This ensures the clippings filter through the grass plants and leave no after-cut residue. In the end, valuable nutrients and moisture are returned to the turf.

*Each model uses specific combinations of some or all of these elements.



Toro® walk power mower engines have a special governor design that delivers more usable power faster when put under load. The auto-choke feature means there's no need to choke or prime the engine — it's backed by Toro's Guaranteed-to-Start® promise.*


It's all part of a tradition of quality that began in 1914, when Toro started as an engine manufacturing company. After more than 100 years of turf care industry leadership, we're still making products you can count on.

**See your dealer for full details on warranties.*

WALK POWER ENGINE BENEFITS:

- OVERHEAD VALVE (OHV) DESIGN.** OHV engines are more efficient and burn cleaner than side-valve engines.
- MAXIMUM ENGINE LIFE.** Superior airflow and engine block design help the engine run cooler than other leading engines.
- MORE USABLE POWER, FASTER.** Special governor design delivers fast power when put under load.
- QUIET OPERATION.** Low-tone muffler keeps noise down.
- ADDED PROTECTION.** Dual element air filter helps extend the life of the engine.

KEY FEATURES



Auto Choke System

Ensures consistent, easy starting backed by our Guaranteed-to-Start® warranty.



Cast-Iron Cylinder Liner

Cast-iron cylinder liner increases wear resistance for longer engine life.



Dual Oversized Crankshaft Bearings

Oversized crankshaft bearings create less friction and promote longer engine life.



Triple Piston Ring Design

Triple piston ring design reduces engine oil consumption and blowby for maximum power.

Other mowers cut grass in a way that causes clippings to pile on top of the lawn. Our uniquely engineered Super Recycler® cutting system recuts the grass into finely shredded clippings that go back into your lawn. Whether you're mulching to save time, naturally composting your lawn or reducing fertiliser use, the Super Recycler® gives you the ultimate in mulching performance.



KEY FEATURES



Personal Pace® (Automatic Drive) System with Traction-Assist Handle

Toro's exclusive Personal Pace® technology automatically adjusts the mower's pace to your walking speed. For more challenging areas with uneven terrain, the Traction-Assist Handle can help monitor your speed, and keep you mowing at a comfortable pace.



Durable Cast Aluminium Deck

The die-cast deck is lightweight and corrosion resistant. Precision casting also produces outstanding quality of cut for improved performance.



Single-Point Height of Cut

Select the desired height of cut in one easy move.

SPECIFICATIONS

	21681
Engine	7.25 ft-lbs , 159 cc Toro® OHV Air-Cooled
Cutting Width	19 inch (48 cm) Cast Aluminium Deck
Drive System	Personal Pace® with Traction-Assist Handle
Washout Port	Standard
Height of Cut	1 – 4.2 inch (2.5 – 10.5 cm)

IDEAL FOR ½ ACRE

Exclusive Recycling Action

The aerodynamic blade **1** cuts the grass. The clippings hit the kickers **2** and then are pushed back down into the blade. The accelerator **3** circulates clippings repeatedly into the blade for recutting.



RECYCLER® 22 INCH PERSONAL PACE®

DESIGNED WITH YOU IN MIND

A broader sweep, a faster finish

Finish mowing faster with a larger 22 inch (56 cm) cutting width and ground speeds up to 7.2 km/h. Toro's innovative Recycler mulching system minces grass clippings into fine particles and puts them back into your lawn giving you a healthy, lush-looking lawn.

KEY FEATURES



20374 model shown



Electric Start Option

Electric start available on model 20374.



3 in 1 Deck

In addition to a recycler, it allows you to use the mower as a bagger or to side discharge.



Personal Pace® System

Toro's exclusive Personal Pace® system senses and adapts to your walking speed. Just start the mower and go – slight pressure on the handle propels the mower to the exact speed you want to go.



Toro® OHV Engine

Toro's premium overhead valve engine is powerful and efficient.

SPECIFICATIONS

	20372	20374
Engine	7.25 ft-lbs, 159 cc Toro® OHV with Auto Choke	7.25 ft-lbs, 159 cc Toro® OHV with Auto Choke
Cutting Width	22 inch (56 cm) Stamped Steel Deck	22 inch (56 cm) Stamped Steel Deck
Starter	Recoil	Electric
Drive System	Personal Pace®	Personal Pace®
Height of Cut	1 – 4 inch (2.5 – 10.2 cm)	1 – 4 inch (2.5 – 10.2 cm)

IDEAL FOR 1/2 ACRE

IDEAL FOR 1/2 ACRE

RECYCLER® 22 INCH SMARTSTOW® PERSONAL PACE®

EASY TO STORE. EASY TO MAINTAIN

The Toro® Recycler® Personal Pace® with SmartStow® the first-of-its-kind, space-saving mower with proven durability, reliability and superior quality of cut. SmartStow® allows the mower to be stored upright, reducing the storage footprint by up to 70%*. It also provides easier access for you to clean the under-deck and service the blade.

KEY FEATURES



Personal Pace® System

Toro's exclusive Personal Pace® system senses and adapts to your walking speed. Just start the mower and go – slight pressure on the handle propels the mower to the exact speed you want to go.



3 in 1 Deck

In addition to a recycler, it allows you to use the mower as a bagger or to side discharge.



High Wheel

The 11 inch high rear wheels combined with the variable speed self-propel front wheel drive can tackle uneven terrain with ease.

SmartStow®

Save up to 70%* floor space by storing the mower upright, with no fuel or oil leaks. Dimensions in upright storage position are 101.6 cm (H) x 60.2 cm (W) x 44.4 cm (L).



SPECIFICATIONS

	20340
Engine	7.25 ft-lbs, 163 cc Briggs & Stratton® 725 EXi Series
Cutting Width	22 inch (56 cm) Stamped Steel Deck
Starter	Recoil
Drive System	Personal Pace® Rear Wheel Drive
Height of Cut	1 – 4 inch (2.5 – 10.2 cm), 9 positions

IDEAL FOR 1/2 ACRE

*Space savings are in relation to the space consumed by a Toro® 22" Walk Power Mower that is stored with the handle in the standard operating position.

RECYCLER® 22 INCH ALL-WHEEL DRIVE PERSONAL PACE®

TACKLE TOUGH HILLS & SLOPES WITH EASE



Toro's All-Wheel Drive Recycler® mower takes the muscle out of mowing hills and other tough mowing challenges. The front and rear wheels engage independently, distributing the right amount of traction when needed. Extra traction makes it easy to manoeuvre with less effort, while the Personal Pace® system and traction-assist handle keep you mowing at a comfortable pace.

Scan to watch a video on RECYCLER® 22 INCH AWD.



KEY FEATURES



Dual Variable Transmissions

Deliver true independent variable engagement, resulting in smooth forward manoeuvring.



Bag On Demand

With our innovative Bag-On-Demand feature, you can switch from mulching to bagging in seconds with a flip of the quick-change lever – and the bag can stay mounted in either mode.



Recycler® Cutting Deck

Front throw chamber and Atomic® blade lift, suspend and re-cut clippings into a fine mulch for a healthy, lush lawn.



Personal Pace® System with Traction-Assist Handle

Toro's exclusive Personal Pace® system senses and adapts to your walking speed. All four wheels move together for better traction in soft, wet conditions as well as hilly and rough terrain.



Robust Design

New, rugged wheels provide added traction in tough mowing conditions.



Briggs & Stratton® ReadyStart™ Engine

No need to choke or prime the engine – just start the mower and go! The Just Check & Add™ feature means you will never have to change the oil, ever.



Convenient Washout Port

Attach a hose to the mower deck to easily clean the under side of the deck.



SPECIFICATIONS

20353

Engine	7.25 ft-lbs, 163 cc Briggs & Stratton® 725 EXi Series
Cutting Width	22 inch (56 cm) Stamped Steel Deck
Drive System	Personal Pace® with Traction-Assist Handle
Height of Cut	1 - 4 inch (2.5 - 10.2 cm) 4-point adjustment, 9 positions

IDEAL FOR ½ ACRE

RECYCLER® 22 INCH POWERVERSE™ PERSONAL PACE®

EASY MANOEUVRING ON UNEVEN TERRAIN AND AROUND OBSTACLES



Power with precision and reverse assist - tough mowing jobs made easy

The Toro 22 inch Recycler® PowerReverse™ Personal Pace® high wheel lawn mower gives you powerful performance, sensing and delivering power to the front wheels to provide a reverse assist for easy manoeuvring.

The Iso-Flex™ Handle provides vibration isolation and gliding height range for the ultimate operator comfort and control.

KEY FEATURES



PowerReverse™ Personal Pace®

Personal Pace® handle senses and delivers power to front wheels to provide a reverse assist for easy manoeuvring.




High Wheel

11 inch high rear wheel with rugged tyre tread tackles uneven terrain with ease.



Bag On Demand

With our innovative Bag-On-Demand feature, you can switch from mulching to bagging in seconds with a flip of the quick-change lever – and the bag can stay mounted in either mode.



Convenient Washout Port

Attach a hose to the mower deck to easily clean the underside of the deck.



Powerful Toro® Engine

You'll appreciate the reliable performance of the Toro® 159cc OHV engine.



Recycler® Cutting Deck

Front throw chamber and Atomic® blade lift, suspend and re-cut clippings into a fine mulch for a healthy, lush lawn.



Iso-Flex™ Handle

Vibration isolation and gliding height range for the ultimate operator comfort and control.



SPECIFICATIONS

20357

Engine	7.25 ft-lbs, 159 cc Toro® OHV
Cutting Width	22 inch (56 cm) Stamped Steel Deck
Drive System	PowerReverse™ Personal Pace®
Height of Cut	1 - 4 inch (2.5 - 10.2 cm) 4-point adjustment, 9 positions

IDEAL FOR ½ ACRE



20199 model shown

SAVE UP TO 40%[^] OF YOUR MOWING TIME

The wide 30 inch mowing deck lets you handle large areas of grass quickly and easily, reducing mowing time by up to 40%[^].

For homeowners with big yards and busy schedules, Toro's TimeMaster™ covers more ground in far less time. The sleek, lightweight body easily circles trees and shrubs and it makes a big impact with a small footprint. It is equipped with a powerful Briggs & Stratton® OHV engine, a durable cast aluminium frame and heavy-duty steel deck. You can count on the TimeMaster™ to deliver the high performance and unmatched durability that Toro is known for. An electric start option is also available.

[^]Time savings achieved via wider cutting path and enhanced travel speed capabilities of TimeMaster™ mower compared to a 21" Toro mower. Savings will vary due to mowing conditions.

KEY FEATURES



Dual Force™ Cut
Twin blade cutting system and Atomic blades cut grass into a super fine mulch for superior quality of cut and a healthy, rich lawn.



Spin-Stop™ System
This convenient safety feature stops the blade, but not the engine, so you can step away for a moment without having to restart the engine.



Quick-Stow Handle
The Quick-Stow handle allows you to position the handle upright for easy, compact storage.



3 in 1 Cutting Mode Versatility
Choose from rear bagging, side discharge or recycling.



Personal Pace® System with Traction-Assist Handle
Toro's exclusive Personal Pace® technology automatically adjusts the mower's pace to your walking speed. For more challenging areas with uneven terrain, the Traction-Assist Handle can help monitor your speed, and keep you mowing at a comfortable pace.



Convenient Washout Port
Attach a hose to the mower deck to easily clean the under side of the deck.



2 Point Height of Cut
You can easily adjust the deck height at 2 points for quick customisation of your mowing height.

SPECIFICATIONS

	21199	21200
Engine	10 ft-lbs, 223 cc Briggs & Stratton® 1000 Pro Series OHV	10 ft-lbs, 223 cc Briggs & Stratton® 1000 Pro Series OHV
Cutting Width	30 inch (76.2 cm) Steel Deck with Twin, Timed Blades	30 inch (76.2 cm) Steel Deck with Twin, Timed Blades
Starter	Recoil	Electric
Drive System	Personal Pace® with Traction-Assist Handle	Personal Pace® with Traction-Assist Handle
Height of Cut	2 point adjustment, 1.25 – 4.25 inch (3.17 – 10.8 cm)	2 point adjustment, 1.25 – 4.25 inch (3.17 – 10.8 cm)

IDEAL FOR 1 ACRE

IDEAL FOR 1 ACRE

TURFMASTER™ HDX

COMMERCIAL WALK-BEHIND MOWER

NEW!



The new Toro® TurfMaster™ HDX 30 inch mower covers more ground in far less time, yet it's surprisingly easy to handle. Its tough design is built for your day to day reality. The precisely timed, twin-blade cutting system powered by a tough Kawasaki® engine provides a clean, professional look on the turf you maintain. The upgraded transmission has a new disc brake assembly, a belt tensioner built-in and a fan on top to help disperse heat. This transmission provides much higher drive force to the rear wheels which helps operators take on hilly terrain. The new parking brake assists operators when pausing on a hill or when trailering the mower for transport. This mower provides a big impact for your productivity.

KEY FEATURES



Kawasaki® Commercial Engine

Get commercial-grade power for heavy use with the Kawasaki® engine with spin-on oil filter and dual element air filter.



3.8 Litre Fuel Tank

Long range fuel tank allows for longer mowing time.



Two-Bail Control System

Two bail design is simple to operate and easy to control.



Twin-Blade Cutting System

Twin-blade cutting system and atomic blades cut grass into a super fine mulch for superior quality of cut and a healthy rich lawn.



Spin-Stop™ System

Allow operator to disengage blades without shutting off the engine.



2 Point Height Of Cut

Durable design easily adjusts front and rear without walking around the mower.



Upgraded Transmission

Increases torque transfer, helping the operator take on hilly terrain even with a bag full of clippings.



SPECIFICATIONS

	22215
Engine	179 cc Kawasaki® FJ180V Commercial Grade
Cutting Width	30 inch (76.2 cm) 13 Gauge Steel Deck
Starter	Recoil
Fuel Capacity	3.8 litres
Transmission	Variable Speed, Rear Wheel Drive
Drive System	Self-Propelled
Height of Cut	1.5 - 5 inch in 0.5 inch increments (3.8 - 12.7 cm in 1.3 cm increments)

IDEAL FOR COMMERCIAL USE

HEAVY-DUTY COMMERCIAL 21 INCH SELF-PROPELLED

TOUGH MACHINE FOR TOUGH JOBS

GENUINE TORO® PARTS AND ACCESSORIES

COMPLETE YOUR EXPERIENCE



Landscape maintenance is hard work, so you need equipment that works hard too. The 21 inch Heavy-Duty Commercial mower delivers the performance Toro is known for and has features to help get more jobs done. This mower features a unique, tapered deck design with a generous discharge tunnel that promotes superior air flow and maximum suction. Clippings are efficiently fed and densely packed into a large, commercially reinforced, easy-dump bag. The two bail design is simple to operate and easy to control.

KEY FEATURES



Powerful Commercial Engine

Powered by a strong reliable Kawasaki® FJ180V.



Commercial-Grade Wheels

Tough co-polymer wheels feature precision ball bearings for long life with less downtime.



Steel Deck Wear Plate

Extend the life of your mower deck with replaceable steel wear plates that protect against bottom and side impacts.



Spin-Stop™ System

Allows the operator to disengage the blades without shutting down the engine.



Recycler® Cutting System

This patented cutting system cuts and recuts grass clippings into fine mulch and directs them deep into the turf to provide a "just bagged" appearance.

SPECIFICATIONS

	22298
Engine	179 cc Kawasaki® Commercial Grade FJ180V
Cutting Width	21 inch (53 cm) Die Cast Aluminum Alloy
Spin Stop™ System	Standard
Drive System	Self-Propelled
Height of Cut	1 – 4.5 inch (2.5 - 11.4 cm), 8 positions

IDEAL FOR COMMERCIAL USE

PARTS AND ACCESSORIES FOR WALK POWER MOWERS



Lawn Striping Kit

Attaches easily to most walk behind mowers and can be used with or without a bagger. Create everything from simple stripes to an eye-catching work of art.



Maintenance Kit – Toro® engines

Keep your Toro mower running smoothly, season after season. Kit includes: 20 oz. SAE 30 engine oil, spark plug, air filter and fuel stabiliser.



Oil and Premium Fuel Treatment

To maximise the performance of your Toro product, we highly recommend using Toro oil, which has been specifically formulated for best results.



Replacement Wheels

Replace your worn or damaged wheels with new, genuine Toro wheels.



Product Cover

Protect your investment with a water, abrasion and tear resistant cover. Fits most walk power mowers up to 22 inch wide.



Blades

Keeping your mower blade sharp will give you the best quality of cut, and Toro has the right blade for every application and for virtually every turf condition. Using sharp, genuine Toro mower blades will help produce a crisp, quality cut and contribute to the ongoing vitality of your garden – everytime you mow.



Bag Kits and Replacement Bags

Delivering a clean sweep and beautiful after-cut appearance, Toro walk power mower bags and replacement bags provide a fresh, clean looking garden.

WARRANTIES


Building the best machines in the industry allows us to back them with the best warranty in the industry. Ask your dealer to learn about our warranty coverage.

FINANCE

Purchasing Toro products is easy and affordable with special Toro sponsored finance promotions available through your participating certified Toro independent dealer.

SPECIFICATIONS

	Super Recycler® 19 Inch	Recycler® 22 Inch	Recycler® 22 Inch SmartStow®	Recycler® 22 Inch AWD	
	21681	20372	20374	20340	20353
POWER SYSTEM					
Engine**	7.25 ft-lbs, 159 cc Toro® OHV with Auto Choke	7.25 ft-lbs, 159 cc Toro® OHV with Auto Choke	7.25 ft-lbs, 159 cc Toro® OHV with Auto Choke	7.25 ft-lbs, 163 cc Briggs & Stratton® 725 EXi Series	7.25 ft-lbs, 163 cc Briggs & Stratton® 725 EXi Series
Starter	Recoil	Recoil	Electric	Recoil	Recoil
Drive System	Personal Pace® with Traction-Assist Handle RWD	Personal Pace® RWD	Personal Pace® RWD	Personal Pace® RWD	Personal Pace® with Traction-Assist Handle All-Wheel Drive (AWD)
Ground Speed	Variable to 6.9 km/h	Variable to 7.2 km/h	Variable to 7.2 km/h	Variable to 7.7 km/h	Variable to 6.9 km/h
MOWING DECKS					
Cutting Width	19 inch (48 cm)	22 inch (56 cm)	22 inch (56 cm)	22 inch (56 cm)	22 inch (56 cm)
Deck Material	Cast aluminium	Stamped steel	Stamped steel	Stamped steel	Stamped steel
Height of Cut	Single point adjustment, 1 - 4.2 inch (2.5 - 10.5 cm)	9 positions, 1 - 4 inch (2.5 - 10.2 cm)	9 positions, 1 - 4 inch (2.5 - 10.2 cm)	9 positions, 1 - 4 inch (2.5 - 10.2 cm)	9 positions, 1 - 4 inch (2.5 - 10.2 cm)
Recycle, Rear Discharge, Side Discharge	Recycler, rear discharge	Standard	Standard	Standard	Standard
Washout Port	Standard	Standard	Standard	Standard	Standard
Spin-Stop™ System	-	-	-	-	-
Blade Brake Control	Standard	Standard	Standard	Standard	Standard
USER-FRIENDLY FEATURES					
Wheel Height	8 x 2 inch (20.3 x 5.1 cm)	8.25 x 2 inch (20.95 x 5.1 cm)	8.25 x 2 inch (20.95 x 5.1 cm)	8 inch (20.3 cm) front / 11 inch (27.9 cm) rear	8 x 2 inch (20.3 x 5.1 cm)
Bag on Demand	Standard	Standard	Standard	Standard	Standard
Quick Stow Storage Handle	Standard	-	-	Standard	-
Weight	39 kg	34.2 kg	36.9 kg	36.3kg	35.6 kg
Warranty*	5 years	2 years	2 years	2 years	2 years

 = Enhanced or step-up feature

*See dealer for full warranty details.

**The gross or net torque of this engine was laboratory rated by the engine manufacturer in accordance with the appropriate SAE specification. As configured to meet safety, emission and operating requirements, the actual engine torque on this class of mower may be significantly lower. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.

	Recycler® 22 Inch PoweReverse™	TimeMaster™ 30 Inch	TurfMaster™ HDX 30 Inch	Heavy-Duty Commercial 21 Inch	
	20357	21199	21200	22215	22298
Engine**	7.25 ft-lbs, 159 cc Toro® OHV	10 ft-lbs, 223 cc Briggs & Stratton® 1000 Pro Series OHV	10 ft-lbs, 223 cc Briggs & Stratton® 1000 Pro Series OHV	179 cc Kawasaki® FJ180V commercial grade	179 cc Kawasaki® FJ180V commercial grade
Starter	Recoil	Recoil	Electric	Recoil	Recoil
Drive System	PoweReverse™ Personal Pace®	Personal Pace® with Traction-Assist Handle RWD	Personal Pace® with Traction-Assist Handle RWD	Self-propelled RWD	3 speed, self-propelled RWD
Ground Speed	Variable to 6.9 km/h	Variable to 8.1 km/h	Variable to 8.1 km/h	Variable to 6.1 km/h	Variable to 6.7 km/h
Cutting Width	22 inch (56 cm)	30 inch (76.2 cm)	30 inch (76.2 cm)	30 inch (76.2 cm)	21 inch (53 cm)
Deck Material	Stamped steel	Stamped steel deck with twin, timed blades	Stamped steel deck with twin, timed blades	13 gauge stamped steel deck	Die-cast aluminium alloy
Height of Cut	9 positions, 1 - 4 inch (2.5 - 10.2 cm)	2 point adjustment, 1.25 - 4.25 inch (3.17 - 10.8 cm)	2 point adjustment, 1.25 - 4.25 inch (3.17 - 10.8 cm)	2 point adjustment, 1.5 - 5 inch in 0.5 inch increments (3.8 - 12.7 cm in 1.3 cm increments)	8 positions, 1 - 4.5 inch (2.5 - 11.4 cm)
Recycle, Rear Discharge, Side Discharge	Standard	Standard	Standard	Standard	Recycler, rear discharge
Washout Port	Standard	Standard	Standard	-	-
Spin-Stop™ System	-	Standard	Standard	Standard	Standard
Blade Brake Control	Standard	-	-	-	-
Wheel Height	8 inch (20.3 cm) front / 11 inch (27.9 cm) rear	8 inch (20.3 cm) front / 10 inch (25.4 cm) rear	8 inch (20.3 cm) front / 10 inch (25.4 cm) rear	9 inch (22.9 cm) front / 10.5 inch (26.6 cm) rear	9 x 2.4 inch (22.9 x 6.03 cm)
Bag on Demand	Standard	-	-	-	-
Quick Stow Storage Handle	Standard	Standard	Standard	-	-
Weight	37.7 kg	71.6 kg	74.2 kg	84.8 kg	60 kg
Warranty*	2 years	3 years	3 years	1 year limited Commercial use 2 year limited Commercial use engine	2 years



Count on it.



toro.com.au

Toro Customer Service 1800 356 372

Toro Australia Head Office
53 Howards Road
Beverley SA 5009
Ph: +61 8 8300 3633
Fax: +61 8 8243 2940

©2019 Toro Australia.
All Rights Reserved.
Printed in Australia.

190719/IND-C0211
07-2019

FOLLOW US!



facebook.com/toroaus
twitter.com/toroaus
youtube.com/toroaustralia

Your local certified Toro dealer:

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs, and standard equipment without notice and without incurring obligation. The gross horsepower of the engines have been laboratory rated by the various engine manufacturers. As configured to meet safety, emission and operating requirements, the actual engine horsepower on this class may be significantly lower.

Many of the products you will find in certified Toro dealers' stores come with a warranty or guarantee from The Toro Company. In addition, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Full details of your consumer rights may be found at www.consumerlaw.gov.au

**See your certified Toro dealers for details on all of our warranties.*